

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

NOTE:

The CE and EN Quality Standard Specification markings must be affixed to each piece of PPE to be visible, legible and indelible throughout the expected life of the PPE and for the small items it should be marked on the packaging material.

Head Protection						
Item Code	Item No.	Picture	Size	Items' Description	UM	Quality Standard/ Specifications
8100101001 - white 8100101002 - blue 8100101003 - yellow 8100101004 - orange 8100101005 - green	PPE/01		STD	Plastic Industrial Safety Helmet White, Blue, Red, Yellow, Orange or Green. Complete with Chin Strap and KPA Logo in indelible ink on the front	EA	<ul style="list-style-type: none"> CE, EN 397 or ISO equivalent Tough UV stabilized HDPE shell Flat front 6-point adjustable cradle harness Sweatband Adjustable Chin strap Closable ventilation ports Must be compatible with other accessories With rain gutter Maximum weight 360g

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

8100102001	PPE/02	 <p>Store No: 507270</p>	STD	Helmet Motor Cyclist (Crash helmet)	EA	<ul style="list-style-type: none"> • BS 6658:1995 • With full face clear visor
8100103001	PPE/04		STD	Fire Fighter Helmet Wine Red Colour	EA	<ul style="list-style-type: none"> • CE, EN 443:2008 or NFPA 2007 or ISO equivalent • Extreme temperature resistance • Radiant Heat test to 14kW/m2 • Anti-scratch & Anti-fog visor • Aluminized carbon-fibre neck protection • Nomex chinstrap tested to prevent skin irritations
8100103002	PPE/05		STD	Fire Fighter Hood	EA	<ul style="list-style-type: none"> • CE, EN 469: 1995 or ISO 11613 or equivalent. • NFPA 1971-2013 • Natural colour

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

<p align="center">8100103003</p>	<p align="center">PPE/06</p>		<p align="center">STD</p>	<p align="center">Face Shield and Visor</p>	<p align="center">EA</p>	<ul style="list-style-type: none"> • CE EN166 1.B.3.9 • To offer protection against medium energy, high speed particles, liquid droplets and molten metal • 20cm bound visor complete with carrier to fit on to PPE/01
<p align="center">8100104001</p>	<p align="center">PPE/07</p>		<p align="center">STD</p>	<p align="center">Speed Glass SL Welding Helmet</p>	<p align="center">EA</p>	<ul style="list-style-type: none"> • Motion sensor automatically turns ON the welding filter when you pick up the helmet, making this helmet ideal for quick welding tasks. • Made from strong non-absorbent materials that

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						<p>help reduce weight</p> <ul style="list-style-type: none"> ANSI Z87.1-2010
Eye Protection						
8100104002	PPE/08		STD	Welding Helmet Flip Front	EA	<ul style="list-style-type: none"> BS1524 : 3&4, or EN166, EN169, EN175 or ISO équivalent Industry standard fiberglass shield with 108 x 83mm filters
8100104003	PPE/09		STD	Welding Filters	EA	<ul style="list-style-type: none"> CE, EN 169: 2003, ISO equivalent Size 108 x 83mm Shades 8 to 14
8100104004	PPE/10		STD	Handheld Welding Shield	EA	<ul style="list-style-type: none"> Conforms to BS1524 : 3&4, or EN166, EN169, EN175 or ISO équivalent Industry standard Fiberglass shield

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						with 108 x 83mm filters
8100104005	PPE/11		STD	Flip - Front Welding Goggles	EA	<ul style="list-style-type: none"> • CE, EN -169, EN165 and EN175 or ISO équivalent • Opaque body • GW5 Flip up lens • Polycarbonate anti-splatter lens • Elastic headband
8100201001	PPE/12		STD	Safety Goggles/Lab Spectacles	EA	<ul style="list-style-type: none"> • CE, EN -166 1.B.3.4, or ISO équivalent • To offer protection against medium energy high speed particles at extreme temperatures • To offer protection against large dust particles, liquid droplets and molten metal. • Lenses MUST comply to optical class1

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

8100202001	PPE/13		STD	Safety Spectacles	EA	<ul style="list-style-type: none"> • CE EN166.1.F or ISO equivalent • Clear polycarbonate lens and temple • Lens offers protection against low energy high speed particles • The optical qualities of the lens comply with the requirements of optical class 1
8100202002	PPE/14		STD	Safety Spectacles		<ul style="list-style-type: none"> • Contemporary design weighs less than 1 ounce for lightweight comfort • Anti-fog lens coating • High-impact-resistant lenses absorb up to 99.9% of UV radiation • Meets the requirements of ANSI CSA Z94.3

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						and ANSI Z87.1-2010
8100202003	PPE/15		STD	Safety Spectacles		<ul style="list-style-type: none"> • Contemporary design weighs less than 1 ounce for lightweight comfort. • Anti-fog lens coating • High-impact-resistant lenses absorb up to 99.9% of UV radiation • Meets the requirements of ANSI CSA Z94.3 and ANSI Z87.1-2010
Ear Protection						
8100301001	PPE/16		STD	Ear Defender (Muffs)	EA	<ul style="list-style-type: none"> • EN 352 - 1 2002, or ISO equivalent • Large cups • NRR 28.

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						<ul style="list-style-type: none"> • Can be worn over or behind the head
8100301002	PPE/17		STD	Ear Plugs	EA	<ul style="list-style-type: none"> • EN 352 - 2:2002 or ISO equivalent • NRR 25 dB • Re-useable, washable corded earplugs in compact carry case
Respiratory Protection						
8100401007	PPE/24		STD	Valved Filtering Twin Half Mask Respirators	EA	<ul style="list-style-type: none"> • CE, EN 143, EN 14387, EN140 or ISO equivalent
8100401008	PPE/25		STD	Gas Filters/Cartridge, Acid Gas/Vapour	EA	<ul style="list-style-type: none"> • CE, EN 143871-A1
8100401009	PPE/26		STD	Dust Filters/Cartridges Dust Particles	EA	<ul style="list-style-type: none"> • CE, EN - 14387-P3SL

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

8100401010	PPE/27		STD	Gas Filters/Cartridges Ammonia/Methylamine	EA	<ul style="list-style-type: none"> • CE, EN – 14387-K1
8100401011	PPE/28		STD	Combined filter Protects against gases and vapours from organic compounds with a boiling point higher than 65°C, inorganic and acid gases and vapours, ammonia and organic ammonia derivatives and solid and liquid hazardous particles.	EA	<ul style="list-style-type: none"> • CE EN 14387 • A1B1E1K1-P3

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

8100401012	PPE/29		STD	Full Face Respiratory Mask	EA	<ul style="list-style-type: none"> • CE, EN 136 class 3 • Fits a DIN 40 cannister
Hand Protection						
<p>8100502006 – (S) 8100502007 – (M) 8100502008 – (L) 8100502009 – (XL) 81005020010 – (XXL)</p>	PPE/35		S, M, L, XL, XXL	High Voltage Electrician Gloves	PAA	<ul style="list-style-type: none"> • CE, EN 60903 – 2003 and AC2 : 2005 or ISO équivalent • Class 2 Insulating rubber gloves • Length 360mm, • Test Voltage: 30kV AC • Working voltage: 17,000V AC

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

<p>8100502016 - (S) 8100502017 - (M) 8100502018 - (L) 8100502019 - (XL) 8100502020 - (XXL)</p>	<p>PPE/37</p>		<p>S, M, L, XL, XXL</p>	<p>Fire Fighter Gloves</p>	<p>PAA</p>	<ul style="list-style-type: none"> • CE, EN 659:2003, NFPA 1971 (current edition) • Depending on material and liners specified, or ISO equivalent
<p>General Protection</p>						
<p>8100601001 - (S) 8100601002 - (M) 8100601003 - (L) 8100601004 - (XL) 8100601005 - (XXL)</p>	<p>PPE/38</p>		<p>S, M, L, XL, XXL</p>	<p>Shield Leggings with Spat Front & Strap</p>	<p>EA</p>	<ul style="list-style-type: none"> • CE, EN 470 - 1:1995, or ISO equivalent
<p>8100601006 - (S) 8100601007 - (M) 8100601008 - (L) 8100601009 - (XL) 81006010010 - (XXL)</p>	<p>PPE/39</p>		<p>S, M, L, XL, XXL</p>	<p>Welders H/D Apron with Straps & Buckle Fasten</p>	<p>EA</p>	<ul style="list-style-type: none"> • EN ISO 11611:2007, Manufactured from Flame retardant material, full length apron - (24 by40) inches

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

8100601011	PPE/40		STD	Full Body Harnesses (Fall Arrest)	EA	<ul style="list-style-type: none"> • CE, EN 361: 2002 and EN358 : 2002 or ISO equivalent • Minimum of four attachment points
8100601012	PPE/41		STD	Shock Absorbing Lanyard	EA	<ul style="list-style-type: none"> • CE, EN 355:2002 or ISO equivalent, for EN 361:1997
8100601013 - (S) 8100601014 - (M) 8100601015 - (L) 8100601016 - (XL) 8100601017 - (XXL) 8100601018 - (XXXL) 8100601019 - (XXXXL)	PPE/42			PVC Apron	EA	<ul style="list-style-type: none"> • CE, EN 467: 1995 - or ISO, KEBS equivalent.
Marine/Diver Protection						

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

<p align="center">8100701001</p>	<p align="center">PPE/46</p>		<p align="center">STD</p>	<p>Life Jacket Hi-Vis Orange Complete, Inflatable</p>	<p align="center">EA</p>	<ul style="list-style-type: none"> • EN 150 12402 - 3:2006 • Lightweight – Maximum 1.5kg • 150Newton Automatic Life Jacket • Oral backup inflation • Outside front zip to allow easy access to the firing mechanism & gas bottle • Fits chest 68cm - 144cm
<p align="center">8100701002</p>	<p align="center">PPE/47</p>		<p align="center">STD</p>	<p align="center">Pilots Lifejackets</p>	<p align="center">EA</p>	<ul style="list-style-type: none"> • 150 12402 - 3:2006 • EN 396 • Integrated 150 Newton Lifejacket • Fully Automatic Inflation • Oral Backup Inflation • Manual Inflation • Concealed Whistle • Crotch Piece/Strap • Two Outside Zipped Pockets

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						<ul style="list-style-type: none"> • Size fits chest 111cm – 144cm • Weight 75kg – 137kg • Single Layer Waterproof System • Colour: Orange
8100701003	PPE/48		STD	Scuba Tank Diving Cylinder, (Aluminium) Single 13 Litres Plus Back Pack/B, C, D.	EA	<ul style="list-style-type: none"> • EN 12628 or ISO equivalent or SCUBA

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

8100701004	PPE/49		STD	Diving Regulator (Octopus) C/W Depth Gauge, Compass, Pressure Gauge	SET	<ul style="list-style-type: none"> • EN 13949:2003 or SCUBA
8100701005	PPE/50		STD	Diving Mask Full Face	EA	<ul style="list-style-type: none"> • EN 137:2006 • Nitrox compatible to 40% (the recreational limits of nitrox) • Easily adaptable for an octopus regulator • State-of-the-art integrated regulator • Reduced internal volume for excellent buoyancy • Improved visual field; visible light transfer of visor is 92%

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						<ul style="list-style-type: none">• Premium grade silicone rubber bellows-type skirt for fit and comfort• Durable, scratch-resistant visor• New G. Diver exhaust valve for directing the exhaust for the best vision• Patented 3-D equalization system for easy ear clearing• Six strap head harness providing firm mask positioning and quick mask donning and doffing• Easy access purge button
--	--	--	--	--	--	--

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

8100701006	PPE/51		STD	Diving Suit	SET	<ul style="list-style-type: none"> • EN 14225 • Free 5/6.5mm Hood included • Free Dry suit Carry Bag included • 4mm high-density neoprene maintains optimal thermal insulation but weighs 50% less and is softer than traditional dry suits • Si-Tech balanced side-activated inlet and adjustable outlet valves • Reversed construction rolling neoprene neck seals for watertight protection and easy donning/doffing • Dry back zipper with exterior neoprene protection flap
------------	--------	---	-----	-------------	-----	---

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						<ul style="list-style-type: none"> • Elastic, adjustable and removable suspenders • Convenient and roomy Utility pocket on thigh with zippered closure keeps essentials close at hand • Durable dry back zipper with neoprene protection flap keeps water out • Colour: Black
8100701007	PPE/52		STD	Diving Hood	EA	<ul style="list-style-type: none"> • SCUBA • Super-Stretch - will stretch 200% more than standard neoprene • 7mm hood/4mm broad bib • 4mm "skin-in" face trimmable seal • One-way flow vent to minimize air trapping • Large bib • Great flexibility

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						<ul style="list-style-type: none"> • COLOUR: Black • SIZES: Small through 3X Large
<p>8100701008 -(Size 5) 8100701009 - (Size 6) 81007010010 - (Size 7) 81007010011 - (Size 8) 81007010012 - (Size 9) 81007010013-(Size 10) 81007010014-(Size 11) 81007010015-(Size 12) 81007010016-(Size 13)</p>	PPE/53		STD	Diving Boots	PAA	<ul style="list-style-type: none"> • SCUBA • Premium super-stretch will stretch 250% more than standard neoprene • 4 way-stretch Titanium material for superior warmth and comfort • No-Zip pull-on style boot • Durable traction sole • Heel and toe caps for maximum durability

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

8100701017	PPE/54		STD	Diving Fins (Jet Fin Type)	PAA	<ul style="list-style-type: none"> • SCUBA or DIVEX
8100701018	PPE/55		STD	Diving Knife complete with Knife straps	EA	<ul style="list-style-type: none"> • DIVEX • 420 Stainless Steel • Easily attaches to BC or to leg or arm with knife straps • Tank banging tip on handle • Single action locking system sheath • Blunt tip with serrated cutting edge or sharp tip with line cutter • BLADE LENGTH: 3 1/8" • OVERALL LENGTH: 6 3/4"

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

8100701019	PPE/56		STD	Diving Weight Belt with 4pcs ×1kg Stones	EA	<ul style="list-style-type: none"> • SCUBA • Velcro release weight dump • Fits any BC or weight belt with standard 2-inch webbing • Holds up to 5lbs • Perfect for adjusting trim • COLOUR: Black
8100701020	PPE/57		STD	Diving Torch (Rechargeable)	EA	<ul style="list-style-type: none"> • DIVEX
8100701021	PPE/58		STD	Diving Pressure Gun	EA	<ul style="list-style-type: none"> • DIVEX
8100701022	PPE/59		STD	Diving Watch 50m Depth	EA	<ul style="list-style-type: none"> • DIVEX/SCUBA
8100701023	PPE/60		STD	Diver Lifeline on Reel- Rope	EA	<ul style="list-style-type: none"> • DIVEX
8100701024	PPE/61		STD	Divers' "A" Flag with Floater	EA	<ul style="list-style-type: none"> • DIVEX/SCUBA

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

8100701025	PPE/62		STD	Under Water Digital Camera with Back Up Light	EA	<ul style="list-style-type: none"> • DIVEX • Compact, handheld convenience • 3.5" LCD color monitor • Color camera with IR auto light sensing
Heat and Flame Protection						
<p>8100801001 (S) 8100801002 (M) 8100801003 (L) 8100801004 (XL) 8100801005 (XXL)</p>	PPE/63			Fire Fighting Suit (Coat & Trouser) with Elbow and Knee Padding inscribed "Port Fire Services" at the back	SET	<ul style="list-style-type: none"> • CE, EN 469:2005 • NFPA 2112-2007 or ISO équivalent • Lightweight and breathable with Swedish trim. • Reinforced at critical knee, elbow and seat areas to limit wear and tear • Low maintenance

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

<p>8100801006 (S) 8100801007 (M) 8100801008 (L) 8100801009 (XL) 81008010010 (XXL)</p>	<p>PPE/64</p>		<p>Proximity Fire Fighting Suit (Coat & Trouser)</p>	<ul style="list-style-type: none"> • CE, EN 469: 2005 • Made from aluminized glass fiber cloth with vapor / heat resistance lining • Stitched with Kevlar thread • It consists of hood, visor and fiber glass fireman helmet • Coverall with BA set pouch. • Gloves with FR & woolen lining and insulation. • Superior quality Shoes with oil skid and heat resistance Nitrile Sole. • Suitable for proximity fire industrial radiant heat up to 1500 deg. C.
---	---------------	--	--	---

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

8100802001	PPE/65		STD	Fireman's Axe with Pouch & Leather Belt Colour Silver	EA	<ul style="list-style-type: none"> NFPA (current edition) or ISO equivalent
8100801011 - (Size 5) 8100801012 - (Size 6) 8100801013 - (Size 7) 8100801014 - (Size 8) 8100801015 - (Size 9) 8100801016 - (Size 10) 8100801017 - (Size 11) 8100801018 - (Size 12) 8100801019 - (Size 13)	PPE/66			Fire Fighter Boots with 2 strips Reflective Tape	PAA	<ul style="list-style-type: none"> CE 0197 EN - 15090: 2012, or ISO equivalent (Has F1, F2, F3, H1, P, T, R, I, A, IS, CL, CL, CH)
8100801020 - (Size 5) 8100801021 - (Size 6) 8100801022 - (Size 7) 8100801023 - (Size 8) 8100801024 - (Size 9) 8100801025 - (Size 10) 8100801026 - (Size 11) 8100801027 - (Size 12) 8100801028 - (Size 13)	PPE/67			Rubber Fireman's Boots	PAA	<ul style="list-style-type: none"> CE, EN 345 - S 3 or NFPA 1971(current edition) or ISO equivalent

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

Foot Protection						
8100901001 - (Size 5) 8100901002 - (Size 6) 8100901003 - (Size 7) 8100901004 - (Size 8) 8100901005 - (Size 9) 8100901006 - (Size 10) 8100901007 - (Size 11) 8100901008 - (Size 12) 8100901009 - (Size 13)	PPE/68			Industrial Safety Shoes (Gents with laces)	PAA	<ul style="list-style-type: none"> • EN ISO 20345 S3 SRA 2004 • Genuine smooth leather upper for durability • Water resistant uppers with padded collar • Fully moulded and removable PU insole • DD PU shock-absorbent sole • 200 joules toe cap (EN 345) • Chemical resistant • Oil resistant • Steel Midsole protection against penetration of 1,500 Newton • Wide Fitting • With durable inset eyelets • Heat resistant outer sole (up to 180 deg) • Additional reinforced side stitching for bonding • Soft lining for comfort & sweat absorption

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						<ul style="list-style-type: none"> • Water resistant
8100901010 - (Size 4) 8100901011 - (Size 5) 8100901012 - (Size 6) 8100901013 - (Size 7) 8100901014 - (Size 8) 8100901015- (Size 9) 8100901016- (Size 10) 8100901017- (Size 11) 8100901018- (Size 12) 8100901019 - (Size 13)	PPE/69			Safety Shoes (Ladies with laces)	PAA	<ul style="list-style-type: none"> • Same as for gents shown above
8100902001 (Size 5) 8100902002 (Size 6) 8100902003 (Size 7) 8100902004 (Size 8) 8100902005 (Size 9) 8100902006 (Size 10) 8100902007 (Size 11) 8100902008 (Size 12) 8100902009 (Size 13)	PPE/70			Safety Boots Ladies		EN ISO 20345: 2004 <ul style="list-style-type: none"> • Genuine full grain leather upper for durability & breathability • Extra light weight anti-slip vulcanized nitrile rubber outer sole • Additional reinforced side stitching for bonding

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

<p>8100902028 (Size 5) 8100902029 (Size 6) 8100902030 (Size 7) 8100902031 (Size 8) 8100902032 (Size 9) 8100902033 (Size 10) 8100902034 (Size 11) 8100902035 (Size 12) 8100902036 (Size 13)</p>	<p>PPE/71</p>			<p>Safety Boots Gents</p>		<ul style="list-style-type: none"> • Soft lining for comfort & sweat absorption • Corrosion resistant • 200joules toe cap (EN 345) • Chemical resistant • Oil resistant • Steel midsole for penetration resistance of 1,500 Newton • PU cushion insole
<p>8100902010 (Size 5) 8100902011 (Size 6) 8100902012 (Size 7) 8100902013 (Size 8) 8100902014 (Size 9) 8100902015 (Size 10) 8100902016 (Size 11) 8100902017 (Size 12) 8100902018 (Size 13)</p>	<p>PPE/72</p>			<p>Safety Gumboots</p>	<p>PAA</p>	<ul style="list-style-type: none"> • CE, EN 20345 S5 SRC or ISO equivalent • Waterproof • 200 joules steel toe cap (EN 345) • Re-inforced toe cap area for additional durability • Oil resistant outsole • Antistatic • Energy absorbing cushioned heel • Protective steel midsole • Kickspur for easy removal • PVC nitrile construction

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						<ul style="list-style-type: none"> Slip-resistant to SRC.
<p>8100902019 (Size 5) 8100902020 (Size 6) 8100902021 (Size 7) 8100902022 (Size 8) 8100902023 (Size 9) 8100902024 (Size 10) 8100902025 (Size 11) 8100902026 (Size 12) 8100902027 (Size 13)</p>	PPE/73			<p>Non-Safety Rubber Gumboots Colour-Black and White</p>	PAA	<ul style="list-style-type: none"> EN20347 or ISO 4643 Minimum 350mm height Made of UV resistant uppers Anti-skid lug sole Moisture wicking inner lining Removable inner sole Metatarsal ribbing for extra protection Kickspur for easy removal
Protective Clothing						
	PPE/75			Acid Protective Overalls, with		<ul style="list-style-type: none"> 100% Pyrovatex FR treated

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

<p>8101001022 (S) 8101001023 (M) 8101001024 (L) 8101001025 (XL) 8101001026 (XXL) 8101001027 (XXXL) 8101001028 (XXXXL)</p>				<p>KPA Logo in indelible ink on the left chest above the pocket.</p>		<p>350g/m2 sateen weave material with 1% negastat Anti-static yarn</p> <ul style="list-style-type: none"> • Concealed 7 stud fastening front with placket, elasticated action back for ease of movements. • 2 stud & welcon on sleeve waist, 2 way zip • Concealed chest pockets, knee & elbow padded • 2 side awing self fabric pockets with trouser access • 2 hip patch pockets with rule pocket in right leg, pen pocket on sleeve • Breaking load warp 1840 & weft 1490N • Tear strength warp 160N & Weft 175N • With Retro Reflective strips
---	--	---	--	--	--	--

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						<p>Sto-Nor FR 120 tape-flame retarded for enhanced visibility engraved with KPA logo</p> <ul style="list-style-type: none"> Fabric to conform to EN531(E2), EN470-1 and ENV50354
--	--	--	--	--	--	---

Item Code	Item No.	Picture	Size	Items' Description		
		Respiratory Protection				
8100401001	PPE/18		STD	Nuisance Dust Masks	EA	<ul style="list-style-type: none"> CE, EN 149: 2001, or ISO equivalent FFP Three categories of dust filtration are available: 1. low efficiency, FFP1 (Protection Factor 14) 2. medium efficiency, FFP2 (Protection Factor 10) 3. high efficiency, FFP3 (Protection Factor 20)

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

8100401002	PPE/19		STD	Fold Flat Respirators	EA	<ul style="list-style-type: none"> • CE, EN 149:2001, or ISO equivalent
8100401003	PPE/20		STD	Welding Valved Respirator	EA	<ul style="list-style-type: none"> • Use for certain welding, soldering, metal sanding and grinding projects • EN149-2001, FFP1/2/3 • 3M™ Cool Flow™ Valve technology for heat reduction and easier breathing • NIOSH approved: N95

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

<p align="center">8100401004</p>	<p align="center">PPE/21</p>			<p align="center">Respirator valved for acid gases</p>	<ul style="list-style-type: none"> • 3M™ Cool Flow™ Exhalation Valve helps reduce heat build-up inside the respirator • Reduces exposure to nuisance levels of acid gases • P95 NIOSH rating • SKU: 70070710838 • UPC: 5005113854285 1
<p align="center">8100401005</p>	<p align="center">PPW/2 2</p>			<p align="center">Particulate Respirator</p>	<ul style="list-style-type: none"> • Ideally suited for hot/dusty work settings that require long periods of wear • Approved filtering face piece particulate respirator • Designed to direct exhaled air away from the nose panel,

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						<p>helping reduce eyewear fogging</p> <ul style="list-style-type: none"> • Particulate Respirator 9211+, N95
8100401006	PPE/23			Surgical Fold Flat Respirators	EA	<ul style="list-style-type: none"> • The N95 masks can filter particles of 0.3 microns
	Hand Protection					
<p>8100501001 - (S) 8100501002 - (M) 8100501003 - (L) 8100501004 - (XL) 8100501005 - (XXL)</p>	PPE/30		S, M, L, XL, XXL	PVC Gloves for protection from organic/inorganic acid, saturated salt solutions, alkalis, aliphatic hydrocarbons, aromatically bicarbonates, ethers, aldehydes, ketones and alcohols,	PA A	<ul style="list-style-type: none"> • CE EN 374-3 • CE EN 420 • CE EN 388:4.1.2.1 • 40cm Red PVC gauntlet with cotton lining

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

<p>8100501006 - (S) 8100501007 - (M) 8100501008 - (L) 8100501009 - (XL) 8100501010 - (XXL)</p>	<p>PPE/31</p>		<p>S, M, L, XL, XXL</p>	<p>Nitrile Greaser Gloves, Oil, Greases & Solvent Resistant,</p>	<p>PA A</p>	<ul style="list-style-type: none"> • CE EN 374-3 • CE EN 420 • CE EN 388:4.0.0.2 • 320mm long • At least 0.35mm thickness
<p>8100501011 - (S) 8100501012 - (M) 8100501013 - (L) 8100501014 - (XL) 8100501015 - (XXL)</p>	<p>PPE/32</p>		<p>10</p>	<p>Gloves Leather General Purpose, Short Arm</p>	<p>PA A</p>	<ul style="list-style-type: none"> • CE, EN 388 : 3.1.2.3 and EN420, or ISO equivalent • With re-inforced palm for extra durability
<p>8100501016 - (S) 8100501017 - (M) 8100501018 - (L) 8100501019 - (XL) 8100501020 - (XXL)</p>	<p>PPE/33</p>		<p>S, M, L, XL, XXL</p>	<p>Gloves Leather General Purpose, Long Arm, Sharp Edges Protection, Heavy Duty Leather "Rigger Gloves"</p>	<p>PA A</p>	<ul style="list-style-type: none"> • CE, EN 388:1994, ISO or équivalent
<p>8100502001 - (S) 8100502002 - (M) 8100502003 - (L) 8100502004 - (XL) 8100502005 - (XXL)</p>	<p>PPE/34</p>		<p>S, M, L, XL, XXL</p>	<p>Gloves Welders Gauntlet</p>	<p>PA A</p>	<ul style="list-style-type: none"> • CE, EN 12477 or EN407, ISO or équivalent • Material: split cow leather • Cuff: split, 15 cm • Interior: thick lining • Sewing yarn:

APPENDIX A

PERSONAL PROTECTIVE EQUIPMENT (PPE) SPECIFICATIONS

						Kevlar
<p>8100502011 - (S) 8100502012 - (M) 8100502013 - (L) 8100502014 - (XL) 8100502015 - (XXL)</p>	PPE/36		S, M, L, XL, XXL	Heavyweight Industrial Rubber Gloves 18" Offers Acid & Chemical resistant	PA A	<ul style="list-style-type: none"> • CE, EN 374 & 388 or ISO equivalent, • Minimum weight 265g • Minimum thickness 2.8mm • Beaded cuff